





---

# Product Catalog 2023



## Donner

Item number

- Silver 101000150

Power	LED 36W
Color temperature	3000K/4000K/6500K, by controller
Dimmable	NO
Mottor	15W DC
Noise level	40db
Speeds	6
Blads	5ABS
Revolutions/minute	950rpm
Timer	2hours
Voltage	230V
IP Rate	IP20
Area coverage	15-20m <sup>2</sup>
Dimensions	55x20cm



23-128-50

## Almanor

Item number

- White 101000410

Power	LED 36W
Color temperature	3000K/4000K/6500K, by controller
Dimmable	NO
Mottor	15W DC
Noise level	40db
Speeds	6
Blads	5ABS
Revolutions/minute	950rpm
Timer	2hours
Voltage	230V
IP Rate	IP20
Area coverage	15-20m <sup>2</sup>
Dimensions	50x19cm



23-149-50



# Superior

Item number

- White 101000210
- Gold 101000260

Power	LED 35W
Color temperature	3000K/4000K/6500K, by controller
Dimmable	NO
Mottor	15W DC
Noise level	40db
Speeds	6
Blads	3ABS
Revolutions/minute	950rpm
Timer	2hours
Voltage	230V
IP Rate	IP20
Area coverage	15-20m <sup>2</sup>
Dimensions	50x27cm





# Chilko


**Item number**

- White 101000310
- Black 101000320
- Gray 101000330
- Gold 101000360

<b>Power</b>	LED 36W
<b>Color temperature</b>	3000K/4000K/6500K,by controller
<b>Dimmable</b>	NO
<b>Mottor</b>	15W DC
<b>Noise level</b>	40db
<b>Speeds</b>	6
<b>Blads</b>	5ABS
<b>Revolutions/minute</b>	950rpm
<b>Timer</b>	2hours
<b>Voltage</b>	230V
<b>IP Rate</b>	IP20
<b>Area coverage</b>	15-20m <sup>2</sup>
<b>Dimensions</b>	50x19cm



23-142-50





## Huron

Item number

White 102000110

Power	LED 36W
Color temperature	3000K/4000K/6500K, by controller
Dimmable	NO
Mottor	30W DC
Noise level	40bd
Speeds	6
Blads	4ABS
Revolutions/minute	225rpm
Timer	2hours
Voltage	230V
IP Rate	IP20
Area coverage	15-20m <sup>2</sup>
Dimensions	105cm

11-165-50



## Nitinat

Item number

Black 102000220

Power	LED 25W
Color temperature	3000K/4500K/6000K, by controller
Dimmable	NO
Mottor	45W DC
Noise level	40bd
Speeds	6
Blads	3ABS
Revolutions/minute	205rpm
Timer	2hours
Voltage	230V
IP Rate	IP20
Area coverage	15-20m <sup>2</sup>
Dimensions	132cm

23-202-50

